



Truck Mounted Emulsion Sprayer



PB LOADER CORPORATION

5778 W. Barstow Avenue
Fresno, CA 93722-5024

Ph: 800-350-8521
Fax: 559-277-7375

Web: www.pblcorp.com
Email: sales@pblcorp.com

PB Truck Mounted Emulsion Systems Specifications



BH-153-21 PUMP EMULSION SYSTEMS

CAPACITY: 132 gallons emulsion; 21 gallons solvent
HEATING: Truck cooling system, 110 VAC overnight heater
FILTRATION: Y strainer, inlet basket strainer
PUMP: rotary, 20 GPM @ 50 PSI; driven by truck hydraulic system
WAND: Five feet with atomizing nozzle
HOSE: 25 feet

OPTIONS

Model 205-28: 177 gallons emulsion, 28 gallons solvent
Model 45-10: 35 gallons emulsion, 10 gallons solvent
Model 60-6: 24 gallons emulsion, 6 gallons solvent
Other capacities available

- 10" x 14" Clean out port
- LPG thermostatic heating
- distributor spray bars
- insulated tank
- hose reels
- recirculation system



65-CS PRESSURE EMULSION SYSTEMS

CAPACITY: 50 gallons emulsion
HEATING: Truck cooling system
FILTRATION: Y strainer, inlet basket strainer
PUMP: Truck air compressor system with 15 gallon auxiliary reservoir
WAND: Five feet with atomizing nozzle
HOSE: 25 feet

OPTIONS

Model 144-CS: 133 gallons emulsion
Model 220-CS: 200 gallons emulsion
Model 45-CS: 30 gallons emulsion

- 15 gallon solvent tank
- 110 VAC overnight heating
- distributor spray bars
- insulated tank
- hose reels
- dual spray wand (emulsion and air)



PB Model B-1.5 Asphalt Patcher

- Low Impact Fleet Model
- Higher Efficiency
- Lower Labor Expenditure

This innovative asphalt patcher was designed with the budget-conscious municipality or contractor in mind. The most compact unit currently available on the market, the B-1.5 is designed for a lean 19,500lb (GVW) chassis. It still has a potential asphalt payload of up to three tons, and boasts many of the same features of much larger models.



PB Patchers Offer These Proven Features

- All Hydraulic Operation
- Fully Insulation Container
- Radiant Heat System
- Adjustable Thermostat and Automatic Ignition
- Convenient Controls
- Two Full Width Rear Doors and Double Acting Hoist

Many Optional Accessories to Choose From

- Pump or Air Compress Emulsion Spray Systems
- Spoils Bins
- Compactor Lift Platform
- Tool Baskets and Boxes
- Hose Reels
- Solvent Spray Wand
- Cab Controls
- And many more - contact us for details



PB Loader Corporation
5778 W. Barstow, Fresno CA 93722
www.pblcorp.com
800-350-8521

PB Model BC-1.8 Asphalt Patcher

- Low Impact Fleet Model
- Higher Efficiency
- Lower Labor Expenditure

This innovative truck pothole patcher was designed with the budget-conscious municipality or contractor in mind. One of the most compact units currently available on the market, the BC-1.8 is designed for a lean 19,500lb (GVW) chassis. It still has a potential asphalt payload of up to three tons, and boasts many of the same features of much larger models.



PB Patchers Offer These Proven Features

- All Hydraulic Operation
- Fully Insulation Container
- Radiant Heat System
- Adjustable Thermostat and Automatic Ignition
- Convenient Controls
- Available with Kevlar or Steel Chain Conveyor

Many Optional Accessories to Choose From

- Pump or Air Compress Emulsion Spray Systems
- Spoils Bins
- Compactor Lift Platform
- Tool Baskets and Boxes
- Hose Reels
- Solvent Spray Wand
- Cab Controls
- And many more - contact us for details



PB Loader Corporation
5778 W. Barstow, Fresno CA 93722
www.pblcorp.com
800-350-8521